






Component Specifications

	Component Name	Item #	Specifications
	Motor Mounting Cradle	AC03-05	<p>Black Plastic; Bracket compatibility: All Bracket Assemblies Motor compatibility: 0.7 Nm Harmony DC, 1 NM Silent DC: 3 Nm Harmony AC, and 6 Nm Harmony AC and DC (with Motor Mounting Snap)</p>
	Snap-on Motor Bracket	IS1038	<p>Black Plastic; Bracket compatibility: All Fascia Assemblies Motor compatibility: 3-8 Nm Silent Series AC</p>
	Idler Bearing - Female	IS1006F	<p>1-inch diameter with spring adjust; 10mm (3/8") axle; inserts available for different size and profile tubes; Female connector</p>
	Idler Bearing - Male	IS1006M	<p>1-inch diameter with spring adjust; 10mm (3/8") axle; inserts available for different size and profile tubes; Male connector</p>
	1.5" (38mm) Idler Insert	IS1016	<p>Compatible with Male or Female Idler Bearing; fits a variety of 1.5" (38mm) tube profiles</p>
	2" (50mm) Idler Insert	IS1017	<p>Compatible with Male or Female Idler Bearing; fits a variety of 2" (50mm) tube profiles</p>

Component Specifications

	Component Name	Item #	Specifications
	3x3 Fascia	IS-H131	3.47"H x 2.12" D x 16' max length (88.1mm x 53.8mm x 4.87m) Color Options: See Side Cap Colors
	4x4 Fascia	IS-H101	4.47"H x 2.612" D x 16' max length (113.5mm x 66.3mm x 4.87m) Color Options: See Side Cap Colors
	7" Dual Fascia	IS-H201	Color Options: See Side Cap Colors
	3x3 Single Bracket (motor mount bracket sold separately)	IS1007	3.53" W X 2.85" D; (89.6mm x 72.4mm) Powder Coated White; Compatible with 3x3 Fascia Sold in Pair with adj. plates, adj. bars and idler plate
	4x4 Single Bracket (motor mount bracket sold separately)	IS1029	5.51" W X 3.94" D; (139.9mm x 100mm) Powder Coated White; Sold in Pair with adj. plates, adj. bars and idler plate
	7" Double Bracket (motor mount brackets sold separately)	IS1028	6.95" W X 4.03" D; (176.5mm x 102.3mm) Powder Coated White; Sold in Pair with adj. plates, adj. bars and idler plate
	1" Bracket	IS1009	2.32" W X 1.44" D; (58.9mm x 36.5mm) Includes 1" Idler Bearing for 0.8 Nm Silent motor;

Component Specifications

	Component Name	Item #	Specifications
	Connector Idler	IS1005	4.33"H X 4.33"W; (110mm x 110mm) Connects multiple shades together at up to a 90° angle; comes with two (2) 1-inch idlers
	3x3 T-Coupler	IS1032	With Idler Plates
	4x4 T-Coupler	IS1033	With Idler Plates
	7" T-Coupler	IS1034	With Idler Plates
	Interior Shading Motor Tube - Outer Tube	IS1525	Outer Tube; 68mm (2.7" diameter); sold in 16' (4.87m) lengths
	Interior Shading Motor Tube - Inner Tube	IS1526	Inner Tube; 50mm (2") diameter sold in 16' (4.87m) lengths
	Blackout Track	WSA9002	2.0" W X 0.6" D; (50.8mm x 15.2mm) 2-piece, front and back snap together with no visible screws;
	Bottom Bar	IS1555	1.38" H X 0.39" D; (35mm x 10mm) For use with and without blackout track 2-piece, front and back snap together; sold in 16' (4.87m) lengths
	Bottom Bar Guide	IS1552	Sold in pair, one left side, one right side
	Entry Guide	IS1551	Sold in pair, one left side, one right side